

# INDEX MAPS.

## T. 16 N. R. 7 E. 2<sup>nd</sup> — Mer.

320	6	342	5	337	4	332	3	328	2	324	1	318
	342		342		336		332		328		324	
320	7	342	8	336	9	332	10	328	11	324	12	318
	341		341		336		331		327		323	
320	18	341	17	335	16	331	15	327	14	323	13	318
	340		340		335		330		326		322	
319	19	339	20	334	21	330	22	326	23	322	24	317
	339		339		334		330		326		322	
319	30	338	29	333	28	329	27	325	26	322	25	317
	338		338		333		329		325		321	
319	31	337	32	333	33	329	34	325	35	321	36	317
	316		316		316		315		315		315	

## T. 18 2 N. R. 8 E. 2<sup>nd</sup> — Mer.

352	6	5	361	4	360	3	359	2	358	1	347
			361	361	360	359	359	358	358		
	7	8		9	360	10	358	11	357	12	347
						359	359	357	357		
	18	17		16	360	15	358	14	355	13	348
						356	356	356	355		
	19	20		21		22	355	23	354	24	348
							356	356	354	353	
	Clark's Grant					27		26	353	25	348
	30	29	28								
	31	32	33	34	35	36					

The figures on the lines refer to the page.

315

Township N. 16 North, Range N. 7 East 2. Mer. Ind.

ch. 1/2

South Boundary var. 6.45'E.

West On S. boundary of Sec. 36

26.64 at Beech 18 m. dist.

40.00 at q. Sec. post, from which

a Beech 12 m. dist. by N 41 W 6 lms. dist. of

a Do. 18 " " " S 15 W 20 " "

76.80 a W. Oak 21 " "

80.00 at post Cor. to Sec. 35 & 36, from which

a Beech 25 m. dist. by N 18 W 18 lms. dist. of

a Do. 14 " " " S 25 E 28 " "

Level 2. rate land, Beech, Sugar, W. Oak

Elm, W. Oak & c. underg. Spruce, Dogwood & c.

---

West On S. boundary of Sec. 35

19.28 a Beech 27 m. dist.

31.00 at Branch 20 lms. wide E. S. W.

40.00 at q. Sec. post, from which

a Beech 18 m. dist. by N 63 E 20 lms. dist. of

a Sugar 21 " " " S 61 W 26 " "

67.95 a W. Oak 28 " "

80.00 at post Cor. to Sec. 34 & 35, from which

a Beech 9 m. dist. by S 65 E 21 lms. dist. of

a Do. 20 " " " South 11 " "

Good farming land, timber Beech, Sugar,

W. Oak, Poplar, Elm & c. underg. Spruce & sparrow.

---

West On S. boundary of Sec. 34

11.69 a Beech 27 m. dist.

40.00 at q. Sec. post, from which

a W. Oak 36 m. dist. by N 23 E 5 lms. dist. of

a Do. 20 " " " S 31 W 23 " "

58.70 a Hickory 30 " "

70.00 an Indian road N of S.

80.00 at post Cor. to Sec. 33 & 34, from which

an Oak 14 m. dist. by S 62 E 18 lms. dist. of

an Elm 10 " " " N 48 W 10 " "

St. R. & E. 2<sup>d</sup>. Mer. Indiana  
 ch. 1<sup>st</sup> 1/4 Sand timber &c. Same as on the last mile

Met On S. boundary of Sec. 33

19.16 a W. Oak 20 in. diam.

40.00 Set of Sec. post, from which  
 a Beech 7 in. diam. branch N 46 E 9 ft. dist. of  
 an Elm 14 " " " N 43 W 5 " "

44.64 a W. Oak 22 " "

47.00 a Creek 50 ft. wide Course S 20 W.

80.00 Set post Cor. to Sec. 32 & 33, from which  
 a Beech 20 in. diam. branch N 27 E 11 ft. dist. of  
 a Do. 12 " " " N 40 W 17 " "

Sand timber &c. Same on the last mile

Met On S. boundary of Sec. 32

1.19 a Beech 21 in. diam.

7.00 a Creek 30 ft. wide Cr. S. E.

40.00 Set of Sec. post, from which  
 a Beech 7 in. diam. branch N 30 E 4 ft. dist. of  
 a Do. 8 " " " N 1 E 24 " "

57.51 a Beech 20 " "

80.00 Set post Cor. to Sec. 31 & 32, from which  
 a Beech 22 in. diam. <sup>branch</sup> N 23 W 10 ft. dist. of  
 a Do. 15 " " " N 65 E 24 " "

Sand timber &c. Same as on the last mile

Met On S. boundary of Sec. 31

17.31 a Beech 21 in. diam.

40.00 Set of Sec. post, from which  
 a Beech 10 in. diam. branch N 31 E 11 ft. dist.  
 a Do. 9 " " " N 75 W 15 " "

42.23 a Do. 27 " "

75.58 Intersected the N & S. line at the Cor.  
 of Townships 15 & 16 N - Ranges 6 & 7 East  
 Sand, timber &c. Same as on the last mile

# 317

## N 6 N 7 E. 2<sup>d</sup>. Mer. Indiana

ch<sup>d</sup>. 1/4

East Boundary var. 7° 00' E.

North On E. boundary of Sec. 36.

0.88 a Beech 20 in. dia.

40.00 Set of Sec. post, from which  
a Sugar 18 in. dia. bears S 81 E 21 lks. dist. 4  
a Beech 16 " " " N 34 W 17 " "

42.21 a No. 33 " "

80.00 Set post Cor. to Sect. 25 & 36, from which  
a Beech 12 in. dia. bears S 28 E 17 lks. dist. 4  
a No. 16 " " " S 55 W 28 " "

Level 2<sup>d</sup> rate land timber Beech, Sugar, Ash,  
Elm Walnut Hickory &c. Undergrowth Spice Pawpaw:

North On E. boundary of Sec. 25

19.50 a Brook 20 lks. wide course S. E.

23.80 a Beech 20 in. dia.

40.00 Set of Sec. post, from which  
a Buckeye 8 in. dia. bears S 47 W 14 lks. dist. 4  
a Walnut 16 " " " N 17 E 6 " "

80.00 Set post Cor. to Sect. 24 & 25, from which  
a Buckeye 8 in. dia. bears N 70 E 10 lks. dist. 4  
an Ash 8 " " " S 80 W 20 " "  
Land timber &c. Same as on the last mile.

North On E. boundary of Sec. 24.

31.43 a Hickory 27 in. dia.

40.00 Set of Sec. post, from which  
a Sugar 16 in. dia. bears S 12 E 9 lks. dist. 4  
a Beech 6 " " " West — " "

62.42 a Sycamore 30 " "

80.00 Set post Cor. to Sect. 13 & 24, from which  
a W. Oak 18 in. dia. bears S 27 E 23 lks. dist. 4  
a Beech 7 " " " S 57 W 04 " "  
Good farming land Beech Ash Elm W. Oak  
Hickory &c. Undergrowth Spice Dogwood Pawpaw &c.



# T6 N R7 E. 2<sup>n</sup>. Mer. Indiana

ch. 2<sup>th</sup>

North On E. boundary of Sec. 13

00.90 an Elm 20 in. dia.

40.00 Set q. Sec. post, from which  
a Hickory 22 in. dia. bears N 76 E 19 lbs. dist. 4  
a Beech 7 " " " S 47 W 16 " "

47.42 a Poplar 24 " "

80.00 Set post Cor. to Sec. 12 & 13, from which  
a Beech 16 in. dia. bears S 67 E 33 lbs. dist. 4  
a Do. 14 " " " S 74 W 30 " "

Level wet land Elm Ash Lynn Oak Hickory  
Same Beech & Sugar thick undergrowth  
of the same kind of timber -

North On E. boundary of Sec. 12.

18.87 a Beech 22 in. dia.

40.00 Set q. Sec. post, from which  
a Hickory 24 in. dia. bears S 87 W 7 lbs. dist. 4  
a Beech 18 " " " S 44 E 11 " "

56.38 an Elm 40 " "

80.00 Set post Cor. to Sec. 1 & 12, from which  
a Beech 8 in. dia. bears N 52 W 10 lbs. dist. 4  
a Ironwood 6 " " " S 50 E 11 " "

Good farming land timber &c. Same as last

North On E. boundary of Sec. 1

20.21 a Beech 24 in. dia.

29.50 a Branch 15 lbs. wide Course S. E.

40.00 Set q. Sec. post, from which  
a Beech 8 in. dia. bears S 44 W 5 lbs. dist. 4  
a Sugar 20 " " " S 53 E 7 " "

51.87 a B. Oak 48 " "

73.00 Intersected the line of Correction 192<sup>th</sup>. East of  
Cor. to Sec. 35 & 36, T17 N. R7 E. Set post at the  
intersection Cor. to Township 16 North, Range  
7 & 8 East, from which  
a W. Ash 36 in. dia. bears S 63 W 18 lbs. dist. 4

# 319

## T6 N. R7 E. 2<sup>nd</sup> Mer. Indiana

ch<sup>th</sup>

a Sugar 20 in. dia. bears S 44 E 10 lbs. dist.  
 Good farming land, Sugar, ash, Elm Oak &c.  
 undng<sup>th</sup> Spruce Spruce. July 27<sup>th</sup> 1819

West Boundary var. 6<sup>th</sup> 30<sup>th</sup> E.

North On E. boundary of Sec 36, T6 N. R6 E.  
 40.00 Set of Sec. post, from which  
 a Beech 8 in. dia. bears S 38 E 36 lbs. dist. of  
 a Do. 22 " " " North 21 " "  
 70.66 a Beech 18 " "  
 80.00 Set post Cor. to Sec. 35 & 36, T6 N. R6 E, from which  
 a Beech 13 in. dia. bears S 35 W 8 lbs. dist. of  
 a Do. 6 " " " S 52 E 11 " "  
 Land 2<sup>nd</sup> rate, timber Beech, W. ash, W. Oak,  
 Hickory, Elm &c. undng<sup>th</sup> Spruce pawpaw &c.

North On E. boundary of Sec. 25, T6 N. R6 E.  
 10.58 an Elm 25 in. dia.  
 40.00 Set of Sec. post. from which  
 a Beech 21 in. dia. bears N 36 W 20 lbs. dist. &  
 a Hickory 14 " " " N 58 E 45 " "  
 68.26 a White Ash 42 " "  
 80.00 Set post Cor. to Sec. 24 & 25, from which  
 a Beech 18 in. dia. bears S 24 W 17 lbs. dist. &  
 a Do. 10 " " " N 36 E 32 " "  
 Land 2<sup>nd</sup> rate level & timber as before -

North On E. boundary of Sec. 24 T6 N. R6 E.  
 27.37 a Beech 36 in. dia.  
 40.00 Set of Sec. post, from which  
 a Beech 14 in. dia. bears S 67 E 10 lbs. dist. &  
 a Do. 9 " " " N 51 W 38 " "  
 57.00 To an open Marsh 8.00 lbs. wide  
 65.00 End of the Marsh  
 80.00 Set post Cor. to Sec. 13 & 24, from which  
 a Beech 12 in. dia. bears N 61 E 13 lbs. dist. &  
 an Ironwood 7 " " " S 10 W 25 " "

T6 N. R7 E. 2<sup>d</sup> Mer. Indiana

ch. l. l.

Land buck timber as the last mile

North On E. boundary of Sec. 13 T6 N. R6 E.  
 27.69 a Black Oak 48 in. dia.  
 40.00 Set of. Sec. post, from which  
 an Elm 48 in. dia. bears N57W25 lbs. dist. &  
 an Ash 12 " " " N77E24 " "  
 52.78 a White Oak 20 " "  
 80.00 Set post Cor. to Sec. 12 & 13, from which  
 a Beech 9 in. dia. bears S72W15 lbs. dist. &  
 a No. 15 " " " S84E03 " "  
 Land timber as on last mile.

North On E. boundary of Sec. 12. T6 N. R6 E.  
 38.80 an Ash 18 in. dia.  
 40.00 Set of. Sec. post, from which  
 an Ash 16 in. dia. bears S44W78 lbs. dist. &  
 a No. 18 " " " N54E38 " "  
 51.00 a Branch 6 lbs. wide Course S.W.  
 67.83 a Beech 18 in. dia.  
 80.00 Set post cor. to Sec. 1 & 12, from which  
 a Walnut 21 in. dia. bears N84W09 lbs. dist. &  
 a W. Oak 6 " " " N78E11 " "  
 Level 2<sup>d</sup> rate land Beech Elm Walnut Buckeye  
 W. Oak - undergrowth Spice swamp &c. &c.

North On E. boundary of Sec. 1. T6 N. R6 E.  
 12.50 a Branch 15 lbs. wide Course S.W.  
 34.75 a Beech 16 in. dia.  
 40.00 Set of. Sec. post, from which  
 a Beech 18 in. dia. bears N21W16 lbs. dist. &  
 a No. 7 " " " S49E25 " "  
 65.55 a Sugar 48 " "  
 70.00 a Branch 8 lbs. wide Course S.W.  
 75.57 Intersected the Correction line fell 792 lbs. E.  
 of post Cor. to Sec. 35 & 36, T1 N. R6 East

321

ch. 11/16  
 N 6 N 1/2 E. 2<sup>d</sup>. Mer. Indiana

Set post at intersection Cor. to Township 16 N.  
 Range 6 E, East, from which  
 a Beech 8 in. dia. bears S 70 N 25 lbs dist. &  
 a Beech 27 " " " S 74 E 9 " "  
 Good farming land, Sugar, B. Elm &c.

July 29<sup>th</sup> 1819

Surveyed By  
 John M<sup>c</sup>. Donald  
 Deputy Surveyor

### Subdivision

North Between Secs. 35 & 36. N 6 N 1/2 E

21.45 a Beech 16 in. dia.  
 40.00 Set q. Sec. post, from which  
 a Beech 14 in. dia. bears N 48 E 15 lbs. dist. &  
 a Do. 15 " " " S 23 N 5 " "  
 62.34 a Sugar 24 " "  
 80.00 Set post Cor. to Secs. <sup>25, 26, 35 & 36</sup> from which  
 a Beech 18 in. dia. bears N 58 E 14 lbs. dist. &  
 a Do. 22 " " " S 54 N 25 " "  
 Part level & part rolling 2<sup>d</sup>. rate Land timber  
 Beech Hickory Ash Sugar W. B. & R. Oak Elm &c.  
 Undergrowth Spice Ash &c.

East On Prandon between Secs. 25 & 36.

40.00 Set temp. q. Sec. post  
 80.39 Intersected the E. boundary 22 lbs. S. of post.  
 Land level 2<sup>d</sup>. rate timber as before -

West Corrected between Secs. 25 & 36.

21.79 a Beech 28 in. dia.  
 40.19 Set q. Sec. post, at average dist. from which  
 a Beech 12 in. dia. bears S 70 N 13 lbs. dist. &  
 a Do. 14 " " " N 48 E 10 " "  
 61.61 a W. Elm 24 " "  
 80.39 to Section Corner



# Met-R7E. 2<sup>nd</sup> Mer. Indiana

ch. 16<sub>2</sub>

North Between Secs. 25 & 26

22.52 a Beech 15 in. dia.

40.00 Set qf. Sec. post, from which

a Beech 14 in. dia. bears N 22 E 10 lks. dist. &

a Do. 12 " " " N 78 W 12 " "

58.57 a Lynn 20 " "

80.00 Set post Cor. to Secs. 23, 24, 25 & 26, from which

a Poplar 6 in. dia. bears N 36 E 15 lks. dist. &

a Cherry 14 " " " S 76 W 14

Land timber &c. Same as on the last mile

East On Random between Secs. 24 & 25.

40.00 Set temp. qf. Sec. post.

80.49 Intersected the E. boundary 82 lks. S. of post

Land timber as before undergrowth same.

West Connected between Secs. 24 & 25

25.03 a Red Oak 44 in. dia.

40.34 Set qf. Sec. post, at average dist. from which

a Beech 15 in. dia. bears N 27 E 9 lks. dist. &

a Sugar 20 " " " S 28 W 28 " "

60.64 a Beech 18 " "

80.49 to Section Corner

North Between Secs. 23 & 24

17.96 a Gray Ash 22 in. dia.

40.00 Set qf. Sec. post, from which

a B. Ash 12 in. dia. bears N 9 W 18 lks. dist. &

a Do. 23 " " " S 37 E 29 " "

65.91 a Beech 18 " "

80.00 Set post Cor. to Secs. 13, 14, 23 & 24, from which

a Beech 14 in. dia. bears N 43 W 32 lks. dist. &

a Gray Ash 14 " " " S 38 E 22

Level 2<sup>nd</sup> rate land timber as before.

East On Random between Secs. 13 & 24

# West E. 2<sup>nd</sup> Mer. Indiana

323

Ch<sup>l</sup> l<sup>ts</sup>

- 40.00 Set temp<sup>y</sup>. q<sup>y</sup>. Sec. post.  
 80.27 Intersected the E. boundary 1.75 l<sup>ts</sup>. S. of post.  
 Land timber &c. Same as last mile

West Corrected between Sec<sup>s</sup>. 13 & 24

- 19.17 a Hickory 28 in. dia.  
 40.14 Set q<sup>y</sup>. Sec. post, from which  
 a Sugar 15 in dia. bears N 41 W 28 l<sup>ts</sup>. dist. 4  
 a Hickory 26 " " " S 54 E 30 " "  
 62.23 a No. 18 " "  
 80.28 to Section Corner. Sept. 6<sup>th</sup> 1820

North Between Sec<sup>s</sup>. 13 & 14

- 26.30 a Beech 22 in. dia.  
 40.00 Set q<sup>y</sup>. Sec. post, from which  
 a Beech 5 in. dia. bears N 57 W 2 l<sup>ts</sup>. dist. 4  
 a No. 14 " " " N 41 E 13 " "  
 61.48 a Hickory 22 " "  
 80.00 Set post Cor. to Sec<sup>s</sup>. 11, 12, 13 & 14, from which  
 a Beech 24 in. dia. bears S 32 W 18 l<sup>ts</sup>. dist. 4  
 a No. 24 " " " N 57 E 28 " "  
 Land timber &c. Same as on the last mile

East On Prandon between Sec<sup>s</sup>. 12 & 13.

- 16.00 Enter a Pond  
 18.50 leave the Pond  
 40.00 Set temp<sup>y</sup>. q<sup>y</sup>. Sec. post.  
 79.93 Intersected the E. boundary 1.95 l<sup>ts</sup>. S. of post.  
 Land level 2<sup>nd</sup> rate timber Same

West Corrected between Sec<sup>s</sup>. 12 & 13

- 21.95 a Hickory 22 in. dia.  
 39.97 Set q<sup>y</sup>. Sec. post, at average dist. from which  
 a Beech 14 in. dia. bears S 67 W 13 l<sup>ts</sup>. dist. 4  
 a No. 8 " " " N 19 E 12 " "  
 51.13 a Gray Ash 22 " "

# St. R. E. 2<sup>nd</sup> Mer. Indiana

ch. 11<sup>th</sup>

79.95 to Section Corner

North Between Sec<sup>s</sup>. 11 & 12.

27.71 a Gray Ash 24 in. dia.

40.00 Set of Sec. post, from which

a Beech 15 in. dia. bears S 88 W 28 lbs. dist. 4

a Bur Oak 20 " " " S 64 E 28 " "

59.50 the channel of a stream 25 lbs. wide Course W.

61.04 a Beech 22 in. dia.

80.00 Set post Cor. to Sec<sup>s</sup>. 1, 2, 11 & 12, from which

a Beech 30 in. dia. bears N 22 W 25 lbs. dist. 4

a Do. 36 " " " S 25 E 25 " "

Land timber &c. Same as on the last mile

East On Random between Sec<sup>s</sup>. 1 & 12

18.88 the Channel of a stream 20 lbs. wide Course S. W.

40.00 Set temp<sup>y</sup>. of Sec. post.

79.87 Intersected the E. boundary 2.57 lbs. S. of post.

Land timber &c. Same as last mile

West Corrected between Sec<sup>s</sup>. 1 & 12.

18.61 a Sugar 18 in. dia.

39.95 Set of Sec. post, at average dist. from which

a Blue Ash 14 in. dia. bears N 50 E 10 lbs. dist. 4

a Beech 12 " " " S 8 W 27 " "

55.33 a Bur Oak 30 " "

79.91 To Section Corner

North Between Sec<sup>s</sup>. 1 & 2.

23.67 a Gray Ash 17 in. dia.

40.00 Set of Sec. post, from which

a Sugar 12 in. dia. bears N 35 W 10 lbs. dist. 4

a Gray Ash 16 " " " S 68 E 28 " "

59.68 a Do. 24 " "

76.30 Intersected the N. boundary at the post

Set post Cor. to Sec<sup>s</sup>. 1 & 2, from which

ch. l. l. l.

a Beech 16 in. dia. bears S 41 E 31 lks. dist. &  
an Ironwood 6 " " " S 68 W 22 " "  
Land timber &c. Same as on the last mile  
Sept. 7<sup>th</sup> 1820.

North Between Secs. 34 & 35

16.96 a W. Oak 42 in. dia.

40.00 Set of Sec. post. from which

a Sugar 12 in. dia. bears N 29 W 34 lks. dist. &

a Beech 15 " " " S 49 E 23 " "

58.18 a Red Oak 26

80.00 Set post Cor. to Secs. 26, 27, 34 & 35, from which

a Beech 22 in. dia. bears N 64 E 22 lks. dist. &

a No. 24 " " " S 87 W 19 " "

Land timber &c. Same as on the last mile

East On Prandon between Secs. 26 & 35

40.00 Set temp. of Sec. post.

80.58 Intersected the N. & S. line 43 lks. N. of post.

Land timber &c. Same as on last mile

West Connected between Secs. 26 & 35

19.88 a Beech 20 in. dia.

40.28 Set of Sec. post. at average dist. from which

a Bur Oak 44 in. dia. bears S 17 W 33 lks. dist. &

a W. Elm 26 " " " N 82 E 17 " "

54.92 a Beech 24 " "

80.58 to Section Corner

North Between Secs. 26 & 27.

21.24 a Beech 14 in. dia.

35.25 the Channal of a Stream 15 lks. wide Course S. W.

40.00 Set of Sec. post. from which

a Sugar 16 in. dia. bears N 21 W 11 lks. dist. &

an Ironbeam 8 " " " N 74 E 25 " "

41.20 the Same Stream Course S. S. E.



West R. E. 2<sup>d</sup>. Mer. IndianaCh. 1<sup>st</sup> 1/2

43.50 the same stream course S. S. W.

65.78 a W. Elm 15 in. dia.

80.00 Set post Cor. to Sect. 22, 23, 26 & 27, from which  
a Beech 18 in. dia. bears N 67 E 15 lks. dist. &

a Do. 17 " " " S 67 W 15 " "

Land timber &amp;c. same as last mile

East On Random between Sect. 23 &amp; 26.

40.00 Set temp. q. Sec. post

80.68 Intersected the N. & S. line 63 lks. N. of post  
Land timber &c. same as before

West Connected between Sect. 23 &amp; 26

21.50 a Red Oak 12 in. dia.

40.34 Set q. Sec. post, at average dist. from which  
a W. Elm 26 in. dia. bears N 12 W 3 lks. dist. &

a Do. 16 " " " S 15 E 11 " "

58.05 a Beech 20 " "

80.68 to Section Corner

North Between Sect. 22 &amp; 23.

21.55 a Red Elm 16 in. dia.

40.00 Set q. Sec. post, from which  
a Red Elm 16 in. dia. bears N 9 W 17 lks. dist. &  
a W. Elm 14 " " " N 89 E 15 " "

57.10 a W. Oak 40 " "

80.00 Set post Cor. to Sect. 14, 15, 22 & 23, from which  
a Gray Ash 6 in. dia. bears N 37 W 15 lks. dist. &  
a Beech 17 " " " S 37 E 10 " "Level rich 2<sup>nd</sup> rate land timber as before

East On Random between Sect. 14 &amp; 23.

40.00 Set temp. q. Sec. post.

70.00 Cut S. Margin of a small pond

80.70 Intersected the N. & S. line 40 lks. N. of post  
Level 2<sup>nd</sup> rate land - timber Beech Ash

# St. R. & E. 2<sup>d</sup>. Mer. Indiana

327

ch. lks

Elm W. & R. Oak Hickory Sugar Walnut &c.  
Undergrowth Spice Ash &c.

West Corrected between Sec. 14 & 23.

25.43 a Sugar 18 in. dia.

40.35 Set of Sec. post at average dist. from which  
a Hickory 15 in. dia. bears S 7 N 23 lks. dist. &  
a Beech 12 " " " N 40 E 16 " "

63.65 a No. 16 " "

80.70 to Section Corner

North Between Sec. 14 & 15

25.15 a W. Oak 30 in. dia.

40.00 Set of Sec. post, from which  
a B. Walnut 40 in. dia. bears N 74 E 35 lks. dist. &  
a Beech 16 " " " S 50 N 19 " "

56.36 an Ash 24 " "

80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which  
a Beech 18 in. dia. bears N 15 W 25 lks. dist. &  
a Sugar 20 " " " S 36 E 28 " "

Part level and part rolling rich 2<sup>d</sup>. rate land  
timber as on last mile.

East On Pradams between Sec. 11 & 14

22.00 Enter a small pond

25.50 leave the same "

40.00 Set temp. of Sec. post,

80.76 Intersected the N. & S. line 42 lks. N. of post  
Level 2<sup>d</sup>. rate land timber same as last mile.

West Corrected between Sec. 11 & 14.

21.96 a W. Oak 22 in. dia.

40.38 Set of Sec. post, at average dist. from which  
a Gray Ash 24 in. dia. bears N 57 W 19 lks. dist. &  
a Beech 18 " " " S 85 E 12 " "

59.03 a No. 15 " "

# S 16 N. R 7 E. 2<sup>d</sup>. Mer. Indiana

ch. 1<sup>st</sup> l<sup>th</sup>

80.76 to Section Corner

North Between Secs. 10 &amp; 11

18.34 a W. Elm 30 in. dia.

40.00 Set q<sup>r</sup>. Sec. post, from whicha Beech 17 in. dia. bears N 7 E 30 l<sup>th</sup>. dist. 4

a No. 18 " " " S 46 W 5 " "

64.62 a Red Oak 46 " "

80.00 Set post Cor. to Secs. 2, 3, 10 &amp; 11, from which

a Sugar 22 in. dia. bears N 66 W 31 l<sup>th</sup>. dist. 7

a Beech 18 " " " S 33 E 17 " "

Level rich 2<sup>d</sup>. rate land timber as on last mile

East On Prandon between Secs. 2 &amp; 11.

28.40 the Channel of a stream 35 l<sup>th</sup>. wide Course N. N. W.40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post.80.78 Intersected the N. & S. line 47 l<sup>th</sup>. N. of post

Land timber &amp;c. Same as last mile

West Corrected between Secs. 2 &amp; 11

20.30 a Sugar 24 in. dia.

40.39 Set q<sup>r</sup>. Sec. post at average dist. from whicha Hornbeam 6 in. dia. bears N 76 W 27 l<sup>th</sup>. dist. 4

a Beech 16 " " " S 16 E 16 " "

60.15 a W. Oak 20 " "

80.78 to Section Corner

North Between Secs. 2 &amp; 3.

22.39 a Beech 17 in. dia.

40.00 Set q<sup>r</sup>. Sec. post, from whicha Mulberry 15 in. dia. bears N 45 E 8 l<sup>th</sup>. dist. 4

a Beech 12 " " " S 45 W 21 " "

49.30 a Stream 35 l<sup>th</sup>. wide Course N. S. W.

56.80 a Red Elm 14 in. dia.

58.50 the Channel of a Brook 6 l<sup>th</sup>. wide Course

S. S. E. — after various Croppings

# West R7E, 2<sup>nd</sup> Mer. Indiana

ch. P. 11<sup>th</sup>

76.41 Intersected the N. boundary on the W. side of a Brook Set post Cor. to Sec. 2 & 3, from which  
a Sugar 14 in. dia. bears S 25 E 15 lh. dist. &  
a Do. 10 " " " S 43 W 48 " "  
first  $\frac{1}{2}$  mile rolling rich 2<sup>nd</sup> rate land last  
 $\frac{1}{2}$  mile broken 2<sup>nd</sup> rate land timber much  
the same as last mile Sept. 11<sup>th</sup> 1820.

North Between Sec. 33 & 34

1.80 the Channel of a Stream 20 lh. wide Course S. W.  
18.37 a Gray Ash 24 in. dia.  
40.00 Set q. Sec. post, from which  
a Hambeam 5 in. dia. bears S 32 W 4 lh. dist. &  
a Beech 8 " " " N 38 E 31 " "  
57.45 a Hickory 22 " "  
80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which  
a Sugar 10 in. dia. bears N 26 W 8 lh. dist. &  
a Beech 28 " " " S 45 E 28 " "  
Land timber &c. Same as before -

East On Prandon between Sec. 27 & 34

40.00 Set temp. q. Sec. post.  
50.50 the Channel of a Stream 15 lh. wide Course N. S. W.  
80.50 Intersected the N. & S. line 31 lh. N. of post  
Land timber &c. Same as on the last mile

West Corrected between Sec. 27 & 34

17.56 a Beech 14 in. dia.  
40.25 Set q. Sec. post, at average dist. from which  
a W. Elm 17 in. dia. bears S 29 W 35 lh. dist. &  
a Do. 14 " " " N 64 E 14 " "  
51.85 a Hickory 22 " "  
80.50 to Section Corner

North Between Sec. 27 & 28

23.78 a Red Oak 42 in. dia.



330

# West R7 E. 2<sup>nd</sup> Mer. Indiana

ch. lks

40.00 Set q. Sec. post, from which  
a Beech 6 in. dia. bears N 38 E 23 lks. dist. &  
a Bur Oak 26 " " " S 53 W 29 " "

65.55 at Hickory 23 " "

80.00 Set post Cor. to Secs. 21, 22, 27 & 28, from which  
a Beech 18 in. dia. bears N 35 W 16 lks. dist. &  
a Gray Ash 24 " " " S 83 E 9 " "  
Land timber &c. Same as before

East On Prandon between Secs. 22 & 27.

40.00 Set temp. q. Sec. post.

80.72 Intersected the N. & S. line 34 lks. N. of post  
Land timber &c. Same as on the last mile

West Corrected between Secs. 22 & 27.

18.58 a B. Ash 30 in. dia.

40.36 Set q. Sec. post, at average dist. from which  
a Beech 26 in. dia. bears N 46 W 20 lks. dist. &  
a No. 18 " " " S 63 E 15 " "

59.98 a No. 28 " "

80.72 to Section Corner

North Between Secs. 21 & 22

20.42 a Buckeye 18 in. dia.

40.00 Set q. Sec. post, from which  
a Beech 13 in. dia. bears N 80 W 20 lks. dist. &  
a Ironw. 5 " " " S 55 E 21 " "

65.55 a W. Oak 30 " "

80.00 Set post Cor. to Secs. 15, 16, 21 & 22, from which  
a Beech 9 in. dia. bears N 65 W 5 lks. dist. &  
a W. Oak 26 " " " S 82 E 17 " "  
Land timber &c. Same as last mile

East On Prandon between Secs. 15 & 22.

40.00 Set temp. q. Sec. post.

80.94 Intersected the N. & S. line 44 lks. N. of post

331  
West N 7 E, 2<sup>nd</sup> Mer. Indiana

ch<sup>d</sup>. l<sup>y</sup>

Land level 2<sup>nd</sup> rate timber Same as last.

---

West Corrected between Sec<sup>s</sup>. 15 & 22  
19.98 a W. Oak 4 in. dia.  
40.47 Set of. Sec. post, at average dist. from which  
a Sugar 19 in. dia. bears S 63 W 14 l<sup>y</sup>. dist. &  
a No. 19 " " " N 69 E 14 " "  
56.89 a W. Elm 48 " "  
80.94 to Section Corner

---

North Between Sec<sup>s</sup>. 15 & 16  
20.53 a Beech 22 in. dia.  
40.00 Set of. Sec. post. from which  
a Beech 14 in. dia. bears N 59 E 12 l<sup>y</sup>. dist. &  
a No. 14 " " " N 73 E 18 " "  
59.93 a Red Elm 22 " "  
70.65 a Spring branch Course W.  
80.00 Set post Cor. to Sec<sup>s</sup>. 9, 10, 15 & 16, from which  
a Beech 14 in. dia. bears N 46 W 28 l<sup>y</sup>. dist. &  
a Sugar 14 " " " S 86 E 11 " "  
Land timber undergrowth the Same as last.

---

East On Pradom between Sec<sup>s</sup>. 10 & 15.  
35.00 Cut the S. Margin of a Pond  
40.00 Set temp<sup>y</sup>. of. Sec. post.  
81.09 Intersected the N. & S. line 38 l<sup>y</sup>. North of post  
Land timber &c. Same as the last mile

---

West Corrected between Sec<sup>s</sup>. 10 & 15  
22.50 a Gray Ash 19 in. dia. l  
40.54 Set of. Sec. post, at average dist. from which  
a Beech 15 in. dia. bears S 5 W 16 l<sup>y</sup>. dist. &  
a Ironwood 6 " " " N 38 E 12 " "  
58.76 a Gray Ash 24 " "  
81.09 to Section Corner

---

To N 127 E. 2<sup>nd</sup> Mer. Indianach<sup>d</sup>. 1/2

North Between Sect. 9 &amp; 10

7.00 a Stream 35 lks. wide Course S. S. W.

21.37 a Beech 13 in. dia.

40.00 Set q. Sec. post, from which  
a Beech 18 in. dia. bears S 53 W 11 lks. dist. &  
a Gray Ash 20 " " " N 83 E 18 " "

58.04 a Beech 19 " "

80.00 Set post Cor. to Sect. 3, 4, 9, & 10, from which  
a Gray Ash 18 in. dia. bears N 69 W 27 lks. dist. &  
a Beech 15 " " " N 74 E 7 " "Part level & part rolling 2<sup>nd</sup> rate land  
timber the same as the few last miles.

East On Random between Sect. 3 &amp; 10

40.00 Set temp. q. Sec. post.

40.50 a Stream 30 lks. wide Course S. S. W

42.25 a Brook 8 " " " S. W.

43.44 the same 8 " " " N. N. W.

45.75 a Do. 8 " " " S. W.

81.00 Intersected the N. &amp; S. line 47 lks. N. of post

Part level part Broken 2<sup>nd</sup> rate land timber  
&c. same as on the last mile.

West Corrected between Sect. 3 &amp; 10

21.44 a Gray Ash 24 in. dia.

40.50 Set q. Sec. post, at average dist. from which  
a W. Elm 16 in. dia. bears N 47 W 38 lks. dist. &  
a Do. 14 " " " S 42 W 62 " "

60.04 a Beech 22 " "

81.00 to Section Corner

North Between Sect. 3 &amp; 4

24.86 a Beech 10 in. dia.

40.00 Set q. Sec. post, from which  
a Gray Ash 14 in. dia. bears N 51 W 38 lks. dist. &  
a Red Elm 24 " " " S 69 E 28 " "

# 333

## West - N 7 E. E. 2<sup>nd</sup> Mer. Indiana

ch<sup>d</sup>. Chr.

56.95 a Beech 16 in. dia.

77.12 Intersected the N. boundary  
Set post Cor. to Sect. 3 & 4, from which  
a Dogwood 5 in. dia. bears S 38 E 14 lh. dist. &  
a Beech 15 " " " S 53 N 25 " "  
Part level & part broken 2<sup>nd</sup> rate land  
timber same as last mile. Sept. 12<sup>th</sup> 1890

---

North Between Sect. 32 & 33.

27.48 a Beech 15 in. dia.

40.00 Set q. Sec. post. from which  
a Beech 10 in. dia. bears S 32 N 15 lh. dist. &  
a Gray Ash 34 " " " N 64 E 28 " "

56.62 a Beech 21 " "

80.00 Set post Cor. to Sect. 28, 29, 32 & 33, from which  
a Maple 12 in. dia. bears N 51 E 11 lh. dist. &  
a No. 16 " " " S 42 N 33 " "  
Part level part broken rich 2<sup>nd</sup> rate land  
timber &c. same as last.

---

East On Random between Sect. 28 & 33.

9.20 a Stream 35 lh. wide Course S. d. E.

40.00 Set temp. q. Sec. post.

81.44 Intersected the N. & S. line 17 lh. N. of post.  
Land timber &c. same as the last mile

---

West Connected between Sect. 28 & 33

19.87 a W. Oak 54 in. dia.

40.72 Set q. Sec. post. at averaged dist. from which  
a Beech 34 in. dia. bears S 54 E 15 lh. dist. &  
a No. 34 " " " N 56 N 43 " "

63.04 a No. 22 " "

81.44 to Section Corner

---

North Between Sect. 28 & 29

1.00 Enter wet fensy Land



# West Rye. 2<sup>d</sup> Mer. Indiana

ch. lks

- 13.50 leave the Marsh and enter timber Land  
 15.45 a Bur Oak 20 in. dia.  
 21.50 an Impenetrable Swamp offset 150 lks. W.  
 28.50 reduced offset and fell into the line  
 40.00 Set q. Sec. post, from which  
     a Beech 16 in. dia. bears N 27 E 10 lks. dist. &  
     a No. 18 " " " S 31 W 10 " "  
 59.23 a No. 16 " "  
 80.00 Set post cor. to Secs. 20, 21, 28 & 29, from which  
     a Beech 15 in. dia. bears N 29 W 16 lks. dist. &  
     a No. 21 " " " S 65 E 17 " "  
 Part level and part rolling 2<sup>d</sup> rate land  
 timber the same as last

## East On Pradom between Secs. 21 & 28

- 31.20 a Stream 35 lks. wide course South  
 34.50 a old Spring branch— " " N. S. W.  
 40.00 Set temp. q. Sec. post  
 45.50 the same Branch Course W. S. W.  
 81.51 Intersected the N. & S. line 25 lks. N. of post  
 Part level and part broken 2<sup>d</sup> rate land. timber  
 undergrowth &c. same as last mile

## West Connected between Secs. 21 & 28

- 20.06 a Hickory 54 in. dia.  
 40.76 Set q. Sec. post, at average dist. from which  
     a Bur Oak 22 in. dia. bears N 43 E 18 lks. dist. &  
     a Black Oak 15 " " " S 77 W 25 " "  
 62.10 a Buckeye 20 " "  
 81.52 to Section Corner

## North Between Secs. 20 & 21

- 18.94 a Beech 22 in. dia.  
 40.00 Set q. Sec. post, from which  
     a H. Walnut 15 in. dia. bears N 21 E 20 lks. dist. &  
     a Sugar 24 " " " S 63 W 25 " "

# N. W. E. 2<sup>d</sup> Mer. Indiana

335

Ch. Lh.

56.84 a W. Oak 24 in. dia.

59.30 a Stream 35 lts. wide course S. E.

63.55 a Do. 35 " " S. S. W.

69.00 Cut West bend of the Same Stream

80.00 Set post Corner to Sec. 16, 17, 20 & 21, from which  
a W. Elm 52 in. dia. bears S 76 E 34 lts. dist.  
and no other tree near-

Part level and part rolling rich 2<sup>d</sup> rate Sand-  
timber underfoot. Same as last miles-

East On Prandom between Sec. 16 & 21.

2.80 a Stream 35 lts. wide course S.

40.00 Set Temp. of. Sec. post, from which

81.73 Intersected the N. & S. line 13 lts. N. of post  
Land part level and part broken timber &c.  
Same as on the last few miles

West Corrected between Sec. 16 & 21

20.82 a Beech 19 in. dia.

40.86 Set of. Sec. post, at average dist. from which  
a Sugar 17 in. dia. bears S 52 W 18 lts. dist. &  
a Beech 22 " " " N 9 E 7 " "

60.07 a W. Oak 24 " "

81.71 to Section Corner

North Between Sec. 16 & 17

9.25 a Spring branch course S. E.

21.12 a Beech 19 in. dia.

40.00 Set of. Sec. post, from which  
a Beech 10 in. dia. bears N 54 E 27 lts. dist. &  
a Gray Ash 28 " " " S 30 W 6 " "

56.73 a Sugar 17 " "

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which  
a Beech 18 in. dia. bears N 78 W 11 lts. dist. &  
a Gray Ash 36 " " " N 63 E 27 " "

Part level part rolling and broken 2<sup>d</sup> rate

West Rye 2<sup>nd</sup> Mer. Indiana

ch. lth

Land timber Beech, Ash, Sugar, Hickory W. & B. Oak  
 Elm Poplar &c. Undergrowth Spice Ash Ironwood  
 Dogwood &c.

East On Random between Sec. 9 & 16

40.00 Set temp. g. Sec. post.

54.00 a Spring branch Course E. S. E.

55.00 a brook 6 lth. wide " South

76.50 a stream 35 " " S. W.

81.66 Intersected the N. & S. line 15 lth. N. of post

Part level part rolling 2<sup>nd</sup> rate timber &c. same

West Corrected between Sec. 9 & 16

22.29 a W. Elm 24 in. dia.

40.83 Set g. Sec. post. at average dist. from which  
 a Beech 12 in. dia. bears N 65 E 4 lth. dist. &

a No. 12 " " " S 40 W 50 " "

57.97 a No. 26 " "

81.66 To Section Corner

North Between Sec. 8 & 9

27.20 a Black Ash 13 in. dist.

40.00 Set g. Sec. post, from which

a Coffeetree 30 in. dia. bears S 85 W 6 lth. dist. &

a Sugar 22 " " " S 67 E 15 " "

59.00 a Beech 26 " "

80.00 Set a post Cor. to Sections 4, 5, 8, & 9, from which

a Beech 22 in. dia. bears N 16 W 16 lth. dist. &

a No. 15 " " " S 65 E 12 " "

Land level 2<sup>nd</sup> rate timber &c. same as last mile

East On Random between Sec. 4 & 9

40.00 Set temp. g. Sec. post

46.00 Entered prairie. Extending in greatest length N. & S.

62.00 leave the Prairie and Entered timbered Land

81.70 Intersected the N. & S. line 24 lth. N. of post.

# T 16 N 7 E, 3<sup>d</sup>. Mer. Indiana

337

ch. 4<sup>th</sup>

Level 2<sup>nd</sup> rate land timber Beech, Ash, Elm, Bur.  
Oak, Walnut, Cherry, Poplar, Sugar &c. undergrowth  
Spice, Ash, Bramble, Prickly Thorn &c.

West Connected between Sect. 4 & 9.

11. 86 a Beech 20 in. dia.

40. 85 Set of Sec. post. at average dist. from which  
a Cherry 14 in. dia. bears S 48 N 16 E. dist. 9  
a No. 18 " " " N 22 E 9 " "

63. 25 a Red Oak 22 " "

81. 70 to Section Corner

North Between Sect. 4 & 5.

9. 50 Enter Small open Prairie

13. 50 leave the same " "

19. 95 a W. Elm 24 in. dia.

40. 00 Set of Sec. post. from which  
a Beech 17 in. dia. bears N 52 E 11 E. dist. 9  
a Hornbeam 5 " " " S 55 N 28 " "

59. 18 a Beech 26 " "

78. 42 Intersected the N. boundary 21 E. N. of post.  
Set a post Cor. to Sect. 4 & 5, from which  
a Beech 21 in. dia. bears S 26 N 38 E. dist. 9  
a No. 12 " " " S 49 E 36 " "

Land timber &c. Same as last mile

Sept. 15<sup>th</sup> 1820.

North Between Sect. 31 & 32

23. 00 a Beech 36 in. dia.

40. 00 Set of Sec. post. from which  
a Beech 10 in. dia. bears N 50 N 14 E. dist. 9  
a No. 3 " " " S 72 E 17 " "

59. 36 a Gray Ash 28 " "

80. 00 Set post. Cor. to Sect. 29, 30, 31, & 32, from which  
a Bur Oak 38 in. dia. bears S 24 N 13 E. dist. 9  
a Gray Ash 10 " " " N 64 E 23 " "



West Rye. 2<sup>nd</sup>. Mer. Indiana  
ch. 1<sup>st</sup> 1<sup>st</sup>

Land timber &c. Same as last mile

East On Prandon between Sect. 29 & 32.

40.00 Set temp. of. See. post.

80.23 Intersected the N. S. line 13 lbs. S. of post  
Past level and part rolling 2<sup>nd</sup> rate Land  
timber &c. Same as on the last mile

West Connected between Sect. 29 & 32.

22.11 a Beech 20 in. dia.

40.11 Set of. See. post, at average dist. from which  
a White Elm 18 in. dia. bears N 32 E 21 lbs. dist. &  
a Black Ash 7 " " S 32 W 5 " "

60.29 a W. Elm 40 " "

80.23 to Section Corner

West Between Sect. 30 & 31

18.87 a Hickory 34 in. dia.

40.00 Set of. See. post, from which  
a Beech 22 in. dia. bears S 12 E 19 lbs. dist. &  
a No. 22 " " N 8 W 19 " "

58.73 a No. 17 " "

75.45 Intersected the W. boundary 61 lbs. S. of post.  
Set post Cor. to Sect. 30 & 31, from which  
a Beech 32 in. dia. bears S 60 E 34 lbs. dist. &  
a No. 18 " " N 16 E 40 " "  
Land timber &c. Same as on last mile

North Between Sect. 29 & 30.

19.73 a Beech 22 in. dia.

40.00 Set of. See. post, from which  
a W. Elm 18 in. dia. bears N 37 E 12 lbs. dist. &  
a No. 22 " " S 28 W 15 " "

58.72 a Gray Ash 26 " "

80.00 Set a post Cor. to Sect. 19, 20, 29 & 30, from which  
a W. Elm 10 in. dia. bears N 75 W 14 lbs. dist. &

# *T6 N R 7 E. 2<sup>nd</sup> Mer. Indiana*

*ch. l. l. l.*

a Gray Ash 10 in. dia. bears S 70 E 15 lks. dist.  
Land level 2<sup>nd</sup> rate timber &c. Same as last.

East On Prandon between Sec. 20 & 29.

00.50 Enter a Butterwood pond

5.00 leave the pond and Enter timber Land

16.00 Enter South end of a rough prairie

19.50 leave the prairie and Enter timber land

40.00 Set temp. q. Sec. post.

80.14 Intersected the N. & S. line 27 lks. N. of post.  
Land timber &c. Same as on the last mile

West Connected between Sec. 20 & 29

17.05 a Beech 24 in. dia.

40.07 Set q. Sec. post at. average dist. from which  
a Beech 24 in. dia. bears S 6 E 27 lks. dist. &  
a Hickory 3 " " " N 33 E 7 " "

58.72 a W. Elm 14 " "

80.14 to Section Corner

West Between Sec. 19 & 30.

26.82 a W. Elm 18 in. dia.

40.00 Set q. Sec. post, from which  
a Beech 15 in. dia. bears N 21 W 17 lks. dist. &  
a W. Elm 22 " " " S 40 E 26 " "

52.74 a Beech 22 " "

74.45 Intersected the W. boundary 1.31 lks. S. of post.

Set post Cor. to Sec. 19 & 30, from which  
a Beech 10 in. dia. bears S 35 E 13 lks. dist. &

a W. 24 " " " N 55 E 46 " "

Land timber &c. Same as on the last mile

Sept. 16<sup>th</sup> 1890.

North Between Sec. 19 & 20

7.00 Enter a rough prairie

15.50 leave the " " and Enter timber land

340

# *St. N. R. Co. 2<sup>nd</sup> Mer. Indiana*

*ch. lks.*

24.78 a W. Oak 18 in. dia.

40.00 Set of. Sec. post. from which  
a Beech 17 in. dia. bears N 84 W 5 lks. dist. &  
a No. 17 " " " S 66 E 16 " "

43.50 Enter a rough prairie

70.38 a Poplar Sapling 4 in. dia. in edg of prairie left same

80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which  
a W. Oak 17 in. dia. bears N 55 W 32 lks. dist. &  
a Poplar 16 " " " S 59 E 22 " "  
Land timber &c. Same as on the last mile.

East On Random between Sec. 17 & 20.

4.50 Cut the N. margin of a butterwood pond offset 1.50<sup>th</sup> N.

12.50 reduced offset and fell into line

27.50 a pond offset S. 3.50 lks.

33.00 reduced offset and fell into line

40.00 Set temp. of. Sec. post.

80.12 Intersected the N. & S. line 34 lks. N. of post.  
Land timber &c. Same as last mile

West Corrected between Sec. 17 & 20.

18.38 a Red Oak 30 in. dia.

40.06 Set of. Sec. post. at average dist. from which  
a W. Elm 12 in. dia. bears N 22 E 31 lks. dist. &  
a Beech 12 " " " S 58 W 28 " "

56.50 a No. 15 " "

80.12 To Section Corner

West Between Sec. 18 & 19.

18.87 a Gray Ash 20 in. dia.

40.00 Set of. Sec. post. from which  
a Beech 15 in. dia. bears N 29 E 28 lks. dist. &  
a Sugar 20. " " " S 31 W 18 " "

58.04 a Beech 36 " "

74.23 Intersected the W. boundary 1.85 lks. S. of post.  
Set post Cor. to Sec. 18 & 19, from which

341

T. H. N. P. & E. D. Mer. Ind. a

ch<sup>thm</sup>  
 a Beech 17 in. dia. bears S 25 E 16 lbs. dist. 4  
 a No. 20 " " " N 43 E 51 " "  
 Land timber &c. Same as last mile

North Between Sect. 17 & 18

20.87 a Beech 26 in. dia.

40.00 Set of Sec. post, from which  
 a Beech 24 in. dia. bears N 75 W 27 lbs. dist. 4  
 a No. 34 " " " S 33 E 22 " "

61.75 a W. Oak 90 " "

80.00 Set post, Cor. to Sect. 7, 8, 17 & 18, from which  
 a Beech 40 in. dia. bears West 14 lbs. dist. 4  
 a No. 14 " " " N 43 E 14 " "  
 Land timber &c. Same as on the last mile

East On Random between Sect. 8 & 17

40.00 Set temp. of Sec. post.

80.24 Intersected the N. & S. line 36 lbs. N. of post.  
 Land timber &c. Same as on the last mile

West Corrected between Sect. 8 & 17

24.78 a Beech 14 in. dia.

40.12 Set of Sec. post, at average dist. from which  
 a Beech 22 in. dia. bears S 9 E 15 lbs. dist. 4  
 and hawwood 4 " " " N 19 W 15 " "

61.82 a Sugar 20 " "

80.14 to Section Corner. Sept. 18<sup>th</sup> 1820.

West Between Sect. 7 & 18.

19.60 a Beech 16 in. dia.

40.00 Set of Sec. post, from which  
 a Gray Ash 18 in. dia. bears S 54 W 25 lbs. dist. 4  
 a W. Walnut 36 " " " N 54 E 11 " "

55.58 a Gray Ash 24 " "

73.38 Intersected the W. boundary 238 lbs. S. of post  
 Set post Cor. to Sect. 7 & 18. from which



342

W. N. R. E. 2<sup>nd</sup> Mer. Indiana  
ch. l. l.

a Beech 24 in. dia. bears S 50 E 52 l. dist. 7  
a Do 24 " " " N 58 E 64 " "  
Part level and part rolling rich 2<sup>nd</sup> rate land  
timber &c. Same as last mile

North Between Sec. 7 & 8

22.09 a Hickory 14 in. dia.  
32.50 Enter a Prairie  
40.00 Set q. Sec. post, in prairie and raised a Mound  
52.00 left prairie and Entered timber Land  
59.28 a Beech 19 in. dia.  
80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which  
a Beech 16 in. dia. bears N 27 W 25 l. dist. 7  
a Do. 14 " " " S 40 E 16 " "  
Land level 2<sup>nd</sup> rate timber Beech, Ash, Elm,  
W. Oak, Hickory, Sycamore Sugar &c. underg.  
Spice Ash, Bramble &c.

East On Random between Sec. 5 & 8

40.00 Set temp. q. Sec. post,  
80.34 Intersected the N. & S. line 46 l. N. of post  
Land timber &c. Same as before.

West Connected Between Sec. 5 & 8

19.84 a Poplar 18 in. dia.  
40.17 Set q. Sec. post. at average dist. from which  
a Hickory 18 in. dia. bears S 50 W 18 l. dist. 7  
a B. Ash 13 " " " N 18 E 14 " "  
63.74 a Sugar 18 " "  
80.34 to Section Corner

West Between Sec. 6 & 7.

22.44 a Sugar 22 in. dia.  
40.00 Set q. Sec. post. from which  
a Sugar 18 in. dia. bears N 63 W 19 l. dist. 7  
a Beech 18 " " " S 14 E 15 " "

# T<sup>h</sup> 16 N R 7 E. 2<sup>d</sup>. Mer. Indiana

343

Ch. P. M.

- 45.75 the Channel of a brook 12 lh. wide Course N. W.  
 57.50 a Beech 16 in. dia.  
 72.66 Intersected the W. boundary 3.13 lh. S. of post.  
 Set post Cor. to Sect. 6 & 7, from which  
 a Beech 14 in. dia. bears S 45 E 35 lh. dist. &  
 a No. 13 " " " N 42 E 33 " "  
 Land timber and undergrowth same as last.

North Between Sect. 5 & 6

- 21.75 a White Elm 24 in. dia.  
 40.00 Set of. Sec. post, from which  
 a Beech 14 in. dia. bears N 46 W 6 lh. dist. &  
 a No. 12 " " " S 16 E 28 " "  
 58.38 a Hickory 18 " "  
 78.27 Intersected the N. boundary 47 lh. W. of post  
 Set post Cor. to Sect. 5 & 6, from which  
 a Beech 6 in. dia. bears S 78 E 6 lh. dist. &  
 a No. 26 " " " S 83 W 13 " "  
 Level 2<sup>d</sup>. rate land - timber Elm, Beech, Ash,  
 Hickory W. & Bur. Oak, Sugar, Lymu, &c.  
 undergrowth Spice Aspen &c. Sept. 19<sup>th</sup> 1820.  
 Thomas Brown,  
 Deputy Surveyor

I certify that the foregoing transcript of field notes  
 of Township N<sup>o</sup>. 16 North, Range N<sup>o</sup>. 7 East 2<sup>d</sup>. Mer.  
 Indiana, has been compared with the original notes  
 in this Office, and found to be correct.

Surveyor General's Office  
 Cincinnati, Oct. 12. 1842

William Johnston  
 Sur. Genl.

Comp<sup>d</sup>